

Material Safety Data Sheet

Creation Date 25-Nov-2009 Revision Date 25-Nov-2009 Revision Number 1

1. PRODUCT AND COMPANY IDENTIFICATION

Product Name Shandon Histosolve Xylene Substitute

Cat No. 9990505, 6764506, 9990507, 9990509

Synonyms Naphtha (petroleum), hydrotreated heavy

Recommended Use Laboratory chemicals

Company
Richard Allan Scientific
A Subsidiary of Thermo Fisher Scientific

4481 Campus Drive

Kalamazoo, MI 49008 Tel: (800) 522-7270

2. HAZARDS IDENTIFICATION

Emergency Telephone Number

Chemtrec US: (800) 424-9300

Chemtrec EU: (202) 483-7616

WARNING!

Emergency Overview

Flammable liquid and vapor. May cause cancer. May cause heritable genetic damage. Harmful: may cause lung damage if swallowed. May cause skin, eye, and respiratory tract irritation. May cause central nervous system effects.

Appearance Clear, Colorless Physical State Liquid Odor hydrocarbon-like

Target Organs Lungs, Central nervous system (CNS)

Potential Health Effects

Acute Effects

Principle Routes of Exposure

Eyes May cause irritation.

Skin May cause irritation. May be harmful in contact with skin.

Inhalation May cause irritation. May be harmful if inhaled. Inhalation may cause central nervous system

effects.

Ingestion Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea. Aspiration

hazard. Harmful: may cause lung damage if swallowed.

Chronic Effects May cause cancer. May cause heritable genetic damage.

See Section 11 for additional Toxicological information.

Aggravated Medical Conditions No information available.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Haz/Non-haz

Component	CAS-No	Weight %		
Naphtha (petroleum), hydrotreated heavy	64742-48-9	100		

4. FIRST AID MEASURES

Eye Contact Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Obtain

medical attention.

Skin Contact Wash off immediately with plenty of water for at least 15 minutes. Get medical attention

immediately if symptoms occur.

Inhalation Move to fresh air. If breathing is difficult, give oxygen. Do not use mouth-to-mouth resuscitation

if victim ingested or inhaled the substance; induce artificial respiration with a respiratory

medical device. Get medical attention immediately if symptoms occur.

Ingestion Do not induce vomiting. Call a physician or Poison Control Center immediately.

Notes to Physician Treat symptomatically.

5. FIRE-FIGHTING MEASURES

Flash Point 40°C / 104°F

 Method
 No information available.

 Indicate the control of the

Autoignition Temperature Explosion Limits

Upper No data available Lower No data available

Suitable Extinguishing Media Use water spray, alcohol-resistant foam, dry chemical or carbon

dioxide.

Unsuitable Extinguishing Media No information available.

Hazardous Combustion Products

No information available.

Sensitivity to mechanical impactNo information available.Sensitivity to static dischargeNo information available.

Specific Hazards Arising from the Chemical

Flammable. Risk of ignition. Vapors may form explosive mixtures with air. Vapors may travel to source of ignition and flash back. Containers may explode when heated.

Protective Equipment and Precautions for Firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. Thermal decomposition can lead to release of irritating gases and vapors.

NFPA Health 2 Flammability 2 Instability 0 Physical hazards N/A

6. ACCIDENTAL RELEASE MEASURES

Personal Precautions Remove all sources of ignition. Use personal protective equipment. Take precautionary

measures against static discharges. Do not get in eyes, on skin, or on clothing.

Environmental Precautions Should not be released into the environment.

Methods for Containment and Clean

Remove all sources of ignition. Soak up with inert absorbent material. Use spark-proof tools and explosion-proof equipment. Keep in suitable and closed containers for disposal. Take

precautionary measures against static discharges.

7. HANDLING AND STORAGE

Handling Use only under a chemical fume hood. Use explosion-proof equipment. Keep away from open

> flames, hot surfaces and sources of ignition. Use only non-sparking tools. Take precautionary measures against static discharges. Do not get in eyes, on skin, or on clothing. Do not breathe

vapors or spray mist.

Keep containers tightly closed in a dry, cool and well-ventilated place. Keep away from heat Storage

and sources of ignition. Flammables area.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Engineering Measures Use only under a chemical fume hood. Use explosion-proof

electrical/ventilating/lighting/equipment. Ensure that eyewash stations and safety showers are

close to the workstation location.

This product does not contain any hazardous materials with occupational exposure limits **Exposure Guidelines**

established by the region specific regulatory bodies.

NIOSH IDLH: Immediately Dangerous to Life or Health

Personal Protective Equipment

Melting Point/Range

Eye/face Protection

Skin and body protection **Respiratory Protection**

Wear appropriate protective eyeglasses or chemical safety goggles as described by OSHA's eye and face protection regulations in 29 CFR 1910.133 or European Standard EN166.

Wear appropriate protective gloves and clothing to prevent skin exposure.

No information available.

Follow the OSHA respirator regulations found in 29 CFR 1910.134 or European Standard EN 149. Use a NIOSH/MSHA or European Standard EN 149 approved respirator if exposure limits

are exceeded or if irritation or other symptoms are experienced.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical State Liquid

Clear, Colorless **Appearance** hvdrocarbon-like Odor

Odor Threshold No information available.

Not applicable Ηq

Vapor Pressure No information available. **Vapor Density** No information available. **Viscosity** No information available. **Boiling Point/Range** 169 - 177°C / 336.2 - 350.6°F

9. PHYSICAL AND CHEMICAL PROPERTIES

No information available. **Decomposition temperature °C** Flash Point 40°C / 104°F

Evaporation Rate No information available. **Specific Gravity** No information available. Solubility No information available. log Pow No data available

10. STABILITY AND REACTIVITY

Stable under normal conditions. Stability

Conditions to Avoid Incompatible products. Heat, flames and sparks.

Incompatible Materials Strong oxidizing agents, Strong acids

Hazardous Decomposition Products Carbon monoxide (CO), Carbon dioxide (CO₂), Hydrocarbons

Hazardous Polymerization Hazardous polymerization does not occur.

Hazardous Reactions. None under normal processing..

11. TOXICOLOGICAL INFORMATION

Acute Toxicity

Component Information

Component LD50 Oral		LD50 Dermal	LC50 Inhalation		
Naphtha (petroleum), hydrotreated	5000 mg/kg (Rat)	3160 mg/kg (Rabbit)	Not listed		
heavy					

No information available. Irritation

Toxicologically Synergistic

Products

No information available.

Chronic Toxicity

May cause cancer. Carcinogenicity

Sensitization No information available.

Mutagenic Effects May cause heritable genetic damage

No information available. **Reproductive Effects Developmental Effects** No information available.

Thermo Fisher Scientific - Shandon Histosolve Xylene

Substitute

Teratogenicity No information available.

Other Adverse Effects The toxicological properties have not been fully investigated.

Endocrine Disruptor Information No information available

12. ECOLOGICAL INFORMATION

Ecotoxicity

•

Component	Freshwater Algae	Freshwater Fish	Microtox	Water Flea
Naphtha (petroleum),	Not listed	Not listed	Not listed	LC50 96 h 2.6 mg/L
hydrotreated heavy				

Persistence and Degradability

Bioaccumulation/ Accumulation

No information available

No information available

No information available

13. DISPOSAL CONSIDERATIONS

Waste Disposal Methods Chemical waste generators must determine whether a discarded chemical is classified as a

hazardous waste. Chemical waste generators must also consult local, regional, and national

hazardous waste regulations to ensure complete and accurate classification.

14. TRANSPORT INFORMATION

DOT

UN-No UN1268

Proper Shipping Name PETROLEUM PRODUCTS, N.O.S.

Proper technical name Solvent naphtha (petroleum), heavy aliphatic

Hazard Class 3
Packing Group

TDG

UN-No UN1268

Proper Shipping Name PETROLEUM PRODUCTS, N.O.S.

Hazard Class 3
Packing Group III

IATA

UN-No UN1268

Proper Shipping Name PETROLEUM PRODUCTS, N.O.S.

14. TRANSPORT INFORMATION

Hazard Class 3
Packing Group

IMDG/IMO

UN-No UN1268

Proper Shipping Name PETROLEUM PRODUCTS, N.O.S.

Hazard Class 3
Packing Group III

15. REGULATORY INFORMATION

International Inventories

Component	TSCA	DSL	NDSL	EINECS	ELINCS	NLP	PICCS	ENCS	AICS	CHINA	KECL
Naphtha (petroleum), hydrotreated heavy	Х	Х		265-150- 3			X	1	Х	X	KE- 25622 X

Legend:

- X Listed
- E Indicates a substance that is the subject of a Section 5(e) Consent order under TSCA.
- F Indicates a substance that is the subject of a Section 5(f) Rule under TSCA.
- N Indicates a polymeric substance containing no free-radical initiator in its inventory name but is considered to cover the designated polymer made with any free-radical initiator regardless of the amount used.
- P Indicates a commenced PMN substance
- R Indicates a substance that is the subject of a Section 6 risk management rule under TSCA.
- S Indicates a substance that is identified in a proposed or final Significant New Use Rule
- T Indicates a substance that is the subject of a Section 4 test rule under TSCA.
- XU Indicates a substance exempt from reporting under the Inventory Update Rule, i.e. Partial Updating of the TSCA Inventory Data Base Production and Site Reports (40 CFR 710(B).
- Y1 Indicates an exempt polymer that has a number-average molecular weight of 1,000 or greater.
- Y2 Indicates an exempt polymer that is a polyester and is made only from reactants included in a specified list of low concern reactants that comprises one of the eligibility criteria for the exemption rule.

U.S. Federal Regulations

TSCA 12(b) Not applicable

SARA 313

Not applicable

SARA 311/312 Hazardous Categorization

Acute Health Hazard

Chronic Health Hazard

No
Fire Hazard

Sudden Release of Pressure Hazard

No
Reactive Hazard

No

Clean Water Act

Not applicable

Clean Air Act

Not applicable

OSHA

Not applicable

CERCLA

Not Applicable

California Proposition 65

This product does not contain any Proposition 65 chemicals.

State Right-to-Know

Not applicable

U.S. Department of Transportation

Reportable Quantity (RQ): N
DOT Marine Pollutant N
DOT Severe Marine Pollutant N

U.S. Department of Homeland Security

This product does not contain any DHS chemicals.

Other International Regulations

Mexico - Grade Moderate risk, Grade 2

Canada

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations (CPR) and the MSDS contains all the information required by the CPR.

WHMIS Hazard Class

B3 Combustible liquid



16. OTHER INFORMATION

Prepared By Regulatory Affairs

16. OTHER INFORMATION

Thermo Fisher Scientific Tel: (412) 490-8929

 Creation Date
 25-Nov-2009

 Print Date
 25-Nov-2009

Revision Summary "***", and red text indicates revision

Disclaimer

The information provided on this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered as a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other material or in any process, unless specified in the text.

End of MSDS
